

Package: emodnet.wfs (via r-universe)

May 20, 2026

Title Access 'EMODnet' Web Feature Service Data

Version 2.1.2.9000

Description Access and interrogate 'EMODnet' (European Marine Observation and Data Network) Web Feature Service data
<<https://emodnet.ec.europa.eu/en/emodnet-web-service-documentation#data-download-services>>.
This includes listing existing data sources, and getting data from each of them.

License MIT + file LICENSE

URL <https://docs.ropensci.org/emodnet.wfs/>,
<https://github.com/EMODnet/emodnet.wfs>

BugReports <https://github.com/EMODnet/emodnet.wfs/issues>

Depends R (>= 4.1)

Imports checkmate, cli, dplyr, lifecycle, memoise, ows4R (>= 0.5),
purrr, rlang, sf, tibble, utils, whoami

Suggests covr, httptest, knitr, mapview, readr, rmarkdown, testthat
(>= 3.1.2), testthis, withr

VignetteBuilder knitr

Config/Needs/readme rerddap

Config/Needs/website webshot

Config/testthat/edition 3

Config/testthat/parallel true

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.2.9000

Config/pak/sysreqs libabsl-dev cmake libgdal-dev gdal-bin libgeos-dev libsecret-1-dev libxml2-dev libssl-dev libproj-dev libsqlite3-dev libudunits2-dev libx11-dev

Repository <https://emodnet.r-universe.dev>

Date/Publication 2026-04-20 12:05:36 UTC

RemoteUrl <https://github.com/EMODnet/emodnet.wfs>

RemoteRef HEAD

RemoteSha 09dedc5cfce79fe78730f20249c00ed91a08a58a

Contents

| | |
|--|----|
| emodnet_get_layer_info | 2 |
| emodnet_get_layers | 3 |
| emodnet_init_wfs_client | 5 |
| emodnet_wfs | 6 |
| layer_attribute_descriptions | 7 |
| layer_attribute_inspect | 8 |
| layer_attributes_get_names | 9 |
| layer_attributes_summarise | 10 |
| layer_attributes_tbl | 11 |

| | |
|--------------|-----------|
| Index | 12 |
|--------------|-----------|

emodnet_get_layer_info

Metadata about data available from the different services: data (layers) from a data source (service), metadata on layers from a service, metadata on layers from all services.

Description

Get WFS available layer information

Usage

emodnet_get_layer_info(wfs, layers)

emodnet_get_wfs_info(wfs = NULL, service = NULL, service_version = NULL)

emodnet_get_all_wfs_info()

Arguments

| | |
|-----------------|---|
| wfs | A WFSClient R6 object with methods for interfacing an OGC Web Feature Service. From emodnet_init_wfs_client() . |
| layers | a character vector of layer names. To get info on layers, including layer_name use emodnet_get_wfs_info() . |
| service | the EMODnet OGC WFS service name. For available services, see emodnet_wfs() . |
| service_version | [Deprecated] the WFS service version. Now always "2.0.0". |

Details

To minimize the number of requests sent to webservices, these functions use memoise to cache results inside the active R session. To clear the cache, re-start R or run `memoise::forget(emodnet_get_wfs_info)/memoise::forget(emodnet_get_layer_info)`.

Value

a tibble containing metadata on each layer available from the service.

Functions

- `emodnet_get_layer_info()`: Get metadata for specific layers. Requires a wfs object as input.
- `emodnet_get_wfs_info()`: Get info on all layers from an EMODnet WFS service.
- `emodnet_get_all_wfs_info()`: Get metadata on all layers and all available services from server.

Examples

```
emodnet_get_wfs_info(service = "bathymetry")
# Query a wfs object
wfs_bio <- emodnet_init_wfs_client("biology")
emodnet_get_wfs_info(wfs_bio)
# Get info for specific layers from wfs object
layers <- c("mediseh_zostera_m_pnt", "mediseh_posidonia_nodata")
emodnet_get_layer_info(wfs = wfs_bio, layers = layers)
```

`emodnet_get_layers` *Get EMODnet WFS datasets (layers)*

Description

Performs an WFS `getFeature` request for layers from a wfs object or specified EMODnet Service. Filtering of layer features can also be handled via ECQL language filters.

Usage

```
emodnet_get_layers(
  wfs = NULL,
  service = NULL,
  service_version = NULL,
  layers,
  crs = NULL,
  cql_filter = NULL,
  simplify = FALSE,
  reduce_layers = deprecated(),
  ...
)
```

Arguments

| | |
|-----------------|--|
| wfs | A WFSCClient R6 object with methods for interfacing an OGC Web Feature Service. From <code>emodnet_init_wfs_client()</code> . |
| service | the EMODnet OGC WFS service name. For available services, see <code>emodnet_wfs()</code> . |
| service_version | [Deprecated] the WFS service version. Now always "2.0.0". |
| layers | a character vector of layer names. To get info on layers, including layer_name use <code>emodnet_get_wfs_info()</code> . |
| crs | integer. EPSG code for the output crs. If NULL (default), layers are returned with original crs. |
| cql_filter | character. Features returned can be filtered using valid Extended Common Query Language (ECQL) filtering statements (https://docs.geoserver.org/stable/en/user/filter/ecql_reference.html). Should be one of: <ul style="list-style-type: none"> • character string or character vector of length 1. Filter will be recycled across all layers requested. • character vector of length equal to the length of layers. Filter will be matched to layers sequentially. Elements containing NA are ignored • named character vector. Each filter will be applied to the layer corresponding to the filter name. Filters with names that do not correspond to any layers are ignored. Layers without corresponding filters are returned whole. |
| simplify | whether to reduce output layers to a single sf object. This only works if the column names are the same. |
| reduce_layers | [Deprecated] use simplify. |
| ... | additional vendor parameter arguments passed to <code>ows4R::GetFeature()</code> . For example, including <code>count = 1</code> returns the first available feature. Or <code>outputFormat = "CSV"</code> (or <code>outputFormat = "JSON"</code>) might help downloading bigger datasets. |

Value

If `simplify = FALSE` (default), a list of sf objects, one element for each layer. Any layers for which download was unsuccessful will be NULL. If `simplify = TRUE`, all layers are reduced (if possible: if all column names are the same) to a single sf containing data for all layers. NULL layers are ignored. `simplify = TRUE` can also be used to return an sf out of a single layer request instead of a list of length 1.

Big downloads

If a layer is really big (like "abiotic_observations" of the "biology_occurrence_data" service), you might consider a combination of these ideas:

- using `outputFormat = "CSV"`;
- filtering using `cql_filters` or `bounding boxes` (possibly splitting the area of interests into several requests);
- Using [EMODnet's download toolbox](#).

Examples

```

# Layers as character vector
emodnet_get_layers(
  service = "biology",
  layers = c("mediseh_zostera_m_pnt", "mediseh_posidonia_nodata")
)

# Usage of cql_filter
emodnet_get_layers(
  service = "biology",
  layers = "mediseh_zostera_m_pnt",
  cql_filter = "country = 'Francia'"
)

# Usage of vendor parameter
emodnet_get_layers(
  service = "biology",
  layers = "mediseh_zostera_m_pnt",
  count = 1
)

# Usage of csv output
data <- emodnet_get_layers(
  service = "biology_occurrence_data",
  layers = "abiotic_observations",
  outputFormat = "CSV"
)
str(data[["abiotic_observations"]])

```

emodnet_init_wfs_client

Connect to a data source (service)

Description

Initialise an EMODnet WFS client

Usage

```
emodnet_init_wfs_client(service, service_version = NULL, logger = NULL)
```

Arguments

| | |
|-----------------|---|
| service | the EMODnet OGC WFS service name. For available services, see emodnet_wfs() . |
| service_version | [Deprecated] the WFS service version. Now always "2.0.0". |
| logger | the logger. Either NULL (no logging info), "INFO" (log about ows4R requests) or "DEBUG" (including curl details). |

Value

An `ows4R::WFSCient` R6 object with methods for interfacing an OGC Web Feature Service.

See Also

`WFSCient` in package `ows4R`.

Examples

```
wfs <- emodnet_init_wfs_client(service = "bathymetry")
```

emodnet_wfs

Which data sources (services) are available?

Description

Available EMODnet Web Feature Services

Usage

```
emodnet_wfs()
```

Format

`emodnet_wfs:`

emodnet_thematic_lot EMODnet disciplinary themes - bathymetry, biology, chemistry, geology, human activities, physics and seabed habitats

service_name Name of the specific service. Use in `emodnet_init_wfs_client`.

service_url **Web Feature Service (WFS)** URL endpoint for accessing the service.

Value

Tibble of available EMODnet Web Feature Services

Examples

```
emodnet_wfs()
```

`layer_attribute_descriptions`*Variables available in a dataset (layer) from a data source (service).*

Description

Get layer attribute description

Usage

```
layer_attribute_descriptions(  
  wfs = NULL,  
  service = NULL,  
  service_version = NULL,  
  layer  
)
```

Arguments

| | |
|------------------------------|---|
| <code>wfs</code> | A WFSClient R6 object with methods for interfacing an OGC Web Feature Service. From emodnet_init_wfs_client() . |
| <code>service</code> | the EMODnet OGC WFS service name. For available services, see emodnet_wfs() . |
| <code>service_version</code> | [Deprecated] the WFS service version. Now always "2.0.0". |
| <code>layer</code> | character string of layer name. To get info on layers, including layer_name use emodnet_get_wfs_info() . |

Value

data.frame containing layer attribute descriptions (metadata).

See Also

Attributes metadata: [layer_attribute_inspect\(\)](#), [layer_attributes_get_names\(\)](#), [layer_attributes_summarise\(\)](#), [layer_attributes_tbl\(\)](#)

Examples

```
layer_attribute_descriptions(  
  service = "biology",  
  layer = "mediseh_zostera_m_pnt"  
)
```

layer_attribute_inspect

Summary of individual variable (attribute) in a dataset (layer) from a data source (service).

Description

Inspect layer attributes

Usage

```
layer_attribute_inspect(
  wfs = NULL,
  service = NULL,
  service_version = NULL,
  layer,
  attribute
)
```

Arguments

| | |
|-----------------|--|
| wfs | A WFSCClient R6 object with methods for interfacing an OGC Web Feature Service. From emodnet_init_wfs_client() . |
| service | the EMODnet OGC WFS service name. For available services, see emodnet_wfs() . |
| service_version | [Deprecated] the WFS service version. Now always "2.0.0". |
| layer | character string of layer name. To get info on layers, including layer_name use emodnet_get_wfs_info() . |
| attribute | character string, name of layer attribute (variable). Use layer_attributes_get_names() to get layer attribute names. |

Value

Detailed summary of individual attribute (variable). Particularly useful for inspecting factor or character variable levels or unique values.

See Also

Attributes metadata: [layer_attribute_descriptions\(\)](#), [layer_attributes_get_names\(\)](#), [layer_attributes_summary\(\)](#), [layer_attributes_tbl\(\)](#)

Examples

```
wfs <- emodnet_init_wfs_client(service = "biology")
layer_attributes_get_names(wfs, layer = "mediseh_zostera_m_pnt")
layer_attribute_inspect(
  wfs, layer = "mediseh_zostera_m_pnt",
```

```
    attribute = "country"  
  )
```

layer_attributes_get_names

Names of variables (attributes) available from a dataset (layer) in a data source (service).

Description

Names of variables (attributes) available from a dataset (layer) in a data source (service).

Usage

```
layer_attributes_get_names(  
  wfs = NULL,  
  service = NULL,  
  service_version = NULL,  
  layer  
)
```

Arguments

| | |
|-----------------|--|
| wfs | A WFSCClient R6 object with methods for interfacing an OGC Web Feature Service. From emodnet_init_wfs_client() . |
| service | the EMODnet OGC WFS service name. For available services, see emodnet_wfs() . |
| service_version | [Deprecated] the WFS service version. Now always "2.0.0". |
| layer | character sting of layer name. To get info on layers, including layer_name use emodnet_get_wfs_info() . |

Value

character vector of layer attribute (variable) names.

See Also

Attributes metadata: [layer_attribute_descriptions\(\)](#), [layer_attribute_inspect\(\)](#), [layer_attributes_summarise\(\)](#), [layer_attributes_tbl\(\)](#)

Examples

```
layer_attributes_get_names(  
  service = "biology",  
  layer = "mediseh_zostera_m_pnt"  
)
```

`layer_attributes_summarise`*Get summaries of layer attributes (variables)*

Description

Get summaries of layer attributes (variables)

Usage

```
layer_attributes_summarise(  
  wfs = NULL,  
  service = NULL,  
  service_version = NULL,  
  layer  
)
```

Arguments

| | |
|------------------------------|---|
| <code>wfs</code> | A WFSClient R6 object with methods for interfacing an OGC Web Feature Service. From emodnet_init_wfs_client() . |
| <code>service</code> | the EMODnet OGC WFS service name. For available services, see emodnet_wfs() . |
| <code>service_version</code> | [Deprecated] the WFS service version. Now always "2.0.0". |
| <code>layer</code> | character string of layer name. To get info on layers, including layer_name use emodnet_get_wfs_info() . |

Value

output of `summary()` on the attributes (variables) in a given layer for a given service.

See Also

Attributes metadata: [layer_attribute_descriptions\(\)](#), [layer_attribute_inspect\(\)](#), [layer_attributes_get_names](#)
[layer_attributes_tbl\(\)](#)

Examples

```
layer_attributes_summarise(  
  service = "biology",  
  layer = "mediseh_zostera_m_pnt"  
)
```

layer_attributes_tbl *Possible values of variables (attributes) in a dataset (layer) from a data source (service).*

Description

Get layer attribute values tibble

Usage

```
layer_attributes_tbl(wfs = NULL, service = NULL, service_version = NULL, layer)
```

Arguments

| | |
|-----------------|---|
| wfs | A WFSClient R6 object with methods for interfacing an OGC Web Feature Service. From emodnet_init_wfs_client() . |
| service | the EMODnet OGC WFS service name. For available services, see emodnet_wfs() . |
| service_version | [Deprecated] the WFS service version. Now always "2.0.0". |
| layer | character sting of layer name. To get info on layers, including layer_name use emodnet_get_wfs_info() . |

Details

Request excluding spatial information can be significantly faster. Can be useful for inspecting attribute values and constructing feature filters for more targeted and faster layer download.

Value

tibble of layer attribute (variable) values with geometry column removed.

See Also

Attributes metadata: [layer_attribute_descriptions\(\)](#), [layer_attribute_inspect\(\)](#), [layer_attributes_get_names\(\)](#), [layer_attributes_summarise\(\)](#)

Examples

```
layer_attributes_tbl(service = "biology", layer = "mediseh_zostera_m_pnt")
```

Index

* **attributes**

- layer_attribute_descriptions, [7](#)
- layer_attribute_inspect, [8](#)
- layer_attributes_get_names, [9](#)
- layer_attributes_summarise, [10](#)
- layer_attributes_tbl, [11](#)

- emodnet_get_all_wfs_info
 - (emodnet_get_layer_info), [2](#)
- emodnet_get_layer_info, [2](#)
- emodnet_get_layers, [3](#)
- emodnet_get_wfs_info
 - (emodnet_get_layer_info), [2](#)
- emodnet_get_wfs_info(), [2, 4, 7-11](#)
- emodnet_init_wfs_client, [5, 6](#)
- emodnet_init_wfs_client(), [2, 4, 7-11](#)
- emodnet_wfs, [6](#)
- emodnet_wfs(), [2, 4, 5, 7-11](#)

- layer_attribute_descriptions, [7, 8-11](#)
- layer_attribute_inspect, [7, 8, 9-11](#)
- layer_attributes_get_names, [7, 8, 9, 10, 11](#)
- layer_attributes_get_names(), [8](#)
- layer_attributes_summarise, [7-9, 10, 11](#)
- layer_attributes_tbl, [7-10, 11](#)

- ows4R: :WFSCClient, [6](#)